

Tabla 61. **Buxo sempervirens-Quercetum pubescantis Br.-Bl. ex Bannes-Puygiron 1933 pinetosum pyrenaicae Rivas-Martínez & al. 1991**

Inventario	B10331	P10427	B10348	P10399	P10334	P10404	P10398
N.º de orden	[1]	[2]	[3]	[4]	[5]	[6]	[7]
Altitud (m)	1320	1280	1130	1570	1200	1315	1340
Orientación	S	W	NNW	SSE	NNE	ENE	SW
Inclinación (%)	10-15	50	25	45	30	40	40
Cobertura arbo. (%)	90	70	80	95	85	85	95
Altura arbórea (m)	14-18	14	14-16	20	15	20	18-20
Cobertura arbustivo (%)	60	35	85	30	70	30	80
Altura arbustivo (m)	1-6	3	3-4	1-3	1,5-4	1-3	1-3
Cobertura herbáceo (%)	70	45	25	10	90	50	35
Área (m ²)	90	150	125	150	-	100	100
Características de asociación, alianza (<i>Quercion pubescenti-petraeae</i>) y orden (<i>Quercetalia pubescentis</i>)							
<i>Pinus sylvestris</i> (dif.)	5.4	4.4	5.4	5.4	5.4	5.4	5.5
<i>Buxus sempervirens</i>	4.3	3.2	5.5	3.2	4.4	2.2	5.4
<i>Coronilla emerus</i>	+	1.1	+.2	+	.	.	+
<i>Amelanchier ovalis</i>	.	1.1	+	+	+	+	.
<i>Quercus subpyrenaica</i>	(+)	+	.	.	+	+	.
<i>Cephalanthera longifolia</i>	1.1	+	+	+	.	.	.
<i>Lonicera xylosteum</i>	1.1	+	1.1
<i>Primula veris columnae</i>	+	(+)
<i>Viburnum lantana</i>	+	.	.	.	+	.	.
Características de clase (Querco-Fagetea)							
<i>Viola sylvesteris</i>	1.1	.	1.2	1.1	+	1.1	1.1
<i>Rosa canina</i>	+	+	.	+	+	+	+
<i>Brachypodium sylvaticum sylvaticum</i>	3.2	3.2	+	1.2	1.2	1.2	1.2
<i>Acer opalus opalus</i>	+	1.1	.	1.1	.	+	+
<i>Hepatica nobilis</i>	2.2	1.2	1.2	.	2.2	1.1	2.2
<i>Ilex aquifolium</i>	+	+	.	+	+	.	1.1
<i>Sorbus aria</i>	+	3.2	+	+	1.1	+	.
<i>Corylus avellana</i>	+	3.3	+	.	+	.	.
<i>Daphne laureola</i>	+	+	+.2
<i>Mycelis muralis</i>	+	+	.	+	.	.	.
<i>Prenanthes purpurea</i>	+	+	.	.	.	+	.
<i>Tilia platyphyllos</i>	+	1.1	+
<i>Fagus sylvatica</i>	+	.	.	.	+	+	.
<i>Veronica officinalis</i>	.	.	.	+	.	2.2	+
Acompañantes							
<i>Fragaria vesca</i>	2.2	+	+	+	+	.	+
<i>Hieracium sp.</i>	.	1.1	.	1.1	.	+	+
<i>Lathyrus linifolius montanus</i>	.	.	.	+	+	(+)	+
<i>Sorbus aucuparia aucuparia</i>	+	1.2	.	+	.	.	.
<i>Vicia sepium</i>	1.2	1.1	.	+	.	.	.
<i>Euphorbia cyparissias</i>	+	+	+
<i>Juniperus communis</i>	+	.	.	.	+	+	.
<i>Pteridium aquilinum</i>	+	.	.	.	+	1.1	.
<i>Prunella grandiflora</i>	+	+	+
<i>Pimpinella saxifraga</i>	.	.	.	+	+	+	.
<i>Deschampsia flexuosa flexuosa</i>	.	.	.	+.2	.	1.2	+.2

Características de *Quercetalia pubescentis* presentes en menos de dos inventarios: *Helleborus foetidus* en 1; *Hypericum montanum* 4.

Características de *Querco-Fagetea* presentes en menos de tres inventarios: *Abies alba* 4; *Carex digitata* 2; *Crataegus monogyna* 1(1.1); *Epipactis helleborine* 1 y 5; *Fagus sylvatica* 4 y 6(1.1); *Fraxinus excelsior* 1 y 5; *Galium rotundifolium* 1(1.2) y 7; *Lilium martagon* 5; *Melica uniflora* 2; *Prunus spinosa* 1; *Ranunculus nemorosus* 6; *Sanicula europaea* 2; *Viscum album austriacum* 2 y 3.

Acompañantes presentes en menos de tres inventarios: *Agrostis capillaris* 1; *Anthoxanthum odoratum* 6; *Asplenium fontanum fontanum* 2(+2); *Asplenium trichomanes* 4; *Brachypodium phoenicoides* 2; *Campanula gr. rotundifolia* 2 y 7; *Carduus carlinifolius carlinifolius* 2; *Carex ornithopoda* 3; *Clinopodium vulgare* 4 y 1; *Cruciata glabra* 6 y 5; *Digitalis lutea* 2; *Erinus alpinus alpinus* 4; *Festuca rubra* 3; *Festuca sp.* 6(1.2); *Filipendula vulgaris* 5; *Galium aparine* 1; *Genista scorpius scorpius* 9; *Goodyera repens* 1(1.2) y 3; *Hedera helix helix* 5; *Hieracium murorum* 4 y 5; *Hieracium pilosella* 6; *Hylocomaum splendens* 5(2.2) y 3(2.3); *Hypnum cupressiforme* 5(2.2) y 3; *Kerrea saxatilis* 2; *Laserpitium latifolium* 4; *Lonicera pyrenaica pyrenaica* 2; *Molinia caerulea* 3(2.2); *Origanum vulgare vulgare* 2; *Orthilia secunda* 1; *Plantago media* 1; *Polygonum calcarea* 2; *Polyodium vulgare* 3; *Potentilla erecta* 5; *Pseudoscleropodium purum* 1(1.2) y 3; *Quercus ilex ballota* 6; *Potentilla micrantha* 4; *Pyrola chlorantha* 4; *Rhytidiodelphus triquetrus* 1(2.3) y 5(2.2); *Rhytidium rugosum* 3; *Rubia peregrina* 7; *Rubus caesius* 4; *Rubus sp.* 1 y 6; *Salix caprea* 4; *Solidago virgaurea* 3; *Stachys officinalis* 6(1.1) y 5; *Succisa pratensis* 6 y 5; *Teucrium chamaedrys* 1 y 2; *Thalictrum minus minus* 2; *Tilia platyphylllos* 5.

Localidades de la tabla 61:

- 1 [BI0331]: Torla, junto al parador, YN3826, 20-VII-1992, Carreras, restos de antiguas fajas
- 2 [PI0427]: Torla, Turieto Alto, L'Ambisteta, YN3826, 17-VII-1998, JLB, 170798C
- 3 [PI0399]: Torla, Pinar de Sopeliana, YN3728, 19-VI-1997, JLB & Soriano, 190697D
- 4 [PI0404]: Puértolas, del bco. de Airés a cdo. Os Pueyos, BH6015, 24-VI-1997, JLB, 240697D
- 5 [PI0398]: Torla, entre el Parador y bordas de Sopeliana, YN3727, 19-VI-1997, JLB & Soriano, 190697C
- 6 [PI0334]: E, Puértolas, Escuaín, Faixa Billa, BH6420, 5-VIII-1992, LV, Font & Soriano, 050892E
- 7 [BI0348]: O, Torla, Turieto Alto, YN3726, 21-VII-1993, Carreras & García